



Evaluation of Potential Impacts of Uranium Mining on Drinking Water Sources in the Roanoke River Basin

Assessment Approach

March 31, 2010



Baker



Background

- **Uranium in Virginia**
 - Leases were issued for uranium mining in the past
 - Coles Hill site in Pittsylvania County may have a large reserve
 - Uranium reserves are located upstream of drinking water supplies
 - Communities are concerned that uranium mining may impact their drinking water sources

Baker





Project Description

- Phase I Assessment:
 - Assume a PMP-type catastrophe and sediment release
 - Estimate of contaminated sediment to reach Kerr Reservoir
 - Assess potential increase in background radiation levels in Kerr Reservoir
- Phase II Assessment:
 - Detailed analysis based on Phase I results (if deemed necessary).

Baker



Project Description

- Phase I Assessment:
 - Banister and Roanoke Rivers will be modeled
 - One-dimensional numerical model will be used
 - CCHE1D: National Center for Computational Hydroscience and Engineering (NCCHE) at the University of Mississippi
 - CCHE1D simulates unsteady flows and sediment transport in dendritic channel networks
 - CCHE1D also simulates transport and fate of radionuclide's

Baker




Project Description

- Phase I Assessment:
 - A number of containment failure scenarios will be run to represent:
 - Release quantities - small and large
 - Release durations – short and long
 - HEC-RAS model will also be run to address model uncertainty in sediment transport
 - ***Model will assume certain amounts of sediment release from hypothetical catastrophe***
 - Phase 1 to be complete in Fall 2010



Baker



Banister River Watershed



Baker





One Dimensional Modeling Objectives

Following a hypothetical PMP-event which releases certain quantities of mill tailings and effluents into the Banister or Roanoke Rivers:

What amount of radionuclide-contaminated sediment and water might reach Kerr Reservoir?

- **In the short term** (i.e. during the high-flow caused by the extreme precipitation event that triggered the failure) and
- **In the long term** (during subsequent high-flow events of lesser magnitude, but higher frequency)

What would be the potential increase in background radiation levels and other contaminants levels in Kerr Reservoir?

Baker



SENSITIVITY ANALYSIS

Modeling parameters:

- Manning's roughness,
- adaptation coefficient,
- sediment transport capacity formula, etc.

Meteorological Parameters:

- Two different extreme events (500-yr & 100-yr storm events will be considered for short-term impact simulations)
- Small and large released tailings
- Short and long duration releases

This sensitivity analysis will provide information about the relative impact of each variable on the results.

Baker



UNCERTAINTY ANALYSIS

Three variables will be considered:

- Volume of the sediment released
- Initial radioactivity level of the tailings and the effluents
- The distribution coefficient, K_d .

Baker



Independent Expert Review Panel

Specialized in key disciplines:

- Uranium Milling/Disposal of Milling Waste/Geotechnical
- Surface/Sub-Surface Water Contamination
- Sediment Transport, Unsteady Hydrodynamic Modeling
- Hydrology
- Water Chemistry/Treatment

Assist in development of the approach for the Phase 1

Review adequacy of data collected, critique the assumptions and the Phase 1 assessment design

Review, Critique and Evaluate Phase 1 report and conclusions

Baker