

COMPREHENSIVE PIPELINE INSPECTION REPORT

Project Name:		Mountain Valley Pipeline	Inspector:			Marshall Willis			
Inspection Date:		Tuesday, December 17, 2019	Project Conta		:		Brian Clauto, Cory Chalmers		
Spread H: Montgomery County		STA 12435+96 - 12443+00 Pipe Yard 006 Laydown Yard 049	Weather (Wet/Dry/Rain):			Rain)	: Rainy		
STAG	E OF CONSTRUCTI	ON: (Check all that apply)							
_	Clearing		Trench Excav	ation	1		Pipe Assembly, Testing & Installation		
_	•						Other: Dormant		
ш.	Backfilling and Grade Restoration Final Grading & Stabilization Other: Dormant								
	SWPPP AMENDMENTS, MODIFICATIONS AND UPDATES					N/A	Reviewed during re-inspection? ⊠Yes □No		
	Is the SWPPP being	n amended whenever there is a change in	n the design				Location / Description		
1	Is the SWPPP being amended whenever there is a change in the design, construction, operation, or maintenance that has a significant effect on the discharge of pollutants to surface waters? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, pp. 5, 6).			\boxtimes					
2	Has the SWPPP been amended if inspections or investigations by the operator's qualified personnel or by state or federal officials find that existing control measures are ineffective in minimizing pollutants in discharges? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, pp. 5, 6).			\boxtimes					
3	Have there been updates to the SWPPP when any modifications to its implementation have occurred, including a record of dates when major			\boxtimes					
4	Is there documentation in the SWPPP of replaced or modified controls? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 5)			\boxtimes					
5	Has the SWPPP been updated to indicate areas that have reached final stabilization? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 5).								
INSPECTIONS AND CORRECTIVE ACTIONS					No	N/A	Reviewed during re-inspection? ⊠Yes □No Location / Description		
6	frequency, including TMDL(s), and except	quired by the SWPPP been conducted a g a modified frequency for impaired water otional waters when applicable? (Va. Condards & Specifications for VA, pp. 4, 5,	(s), approved de §62.1-	\boxtimes					
7		rts completed and appropriately signed? VP Standards & Specifications for VA, p							
8	approved Annual St	ns taken consistent with the requirements and ards and Specifications? (Va. Code ndards & Specifications for VA, pp. 3, 5).	§62.1-	\boxtimes					
ESC AND SWM PLAN IMPLEMENTATION					No	N/A	Reviewed during re-inspection? ⊠Yes □No <i>Location / Description</i>		
9	accordance with the stormwater manage	uencing of the project being implemented approved erosion and sediment control ement plans? (Va. Code §62. 1-44.15:31 cations for VA, p. 1) (9VAC25-870-54.B)	plan and) (MVP	\boxtimes					
10	Is topsoil segregation (Va. Code §62.1-44 10, 11).	on being carried out in accordance with th .15:31) (MVP Standards & Specifications	ne SWPPP? s for VA, pp.	\boxtimes					



11	Have all denuded areas requiring temporary or permanent stabilization been stabilized within 7 days, and have stabilization requirements for impaired waters, approved TMDL(s), pollutants of concern and exceptional waters, when applicable, been met? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.B) (9VAC 25-840-40.1).	\boxtimes		
12	Are soil stockpiles adequately stabilized with seeding and/or protected with sediment trapping measures? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.2).	\boxtimes		
13	Has a permanent vegetative cover has been established that is uniform, mature enough to survive and will inhibit erosion? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, pp. 1, 15, 16) (9VAC 25-840-40.3).		\boxtimes	
14	Have sediment trapping facilities been constructed as the first step in land disturbance activities? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.4).	\boxtimes		
15	Have earthen structures been stabilized immediately after installation? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.5).	\boxtimes		
16	Are sediment traps and basins installed in accordance with MS-6 and the approved plan? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.6).	\boxtimes		
17	Are finished cut and fill slopes adequately stabilized to prevent or correct excessive erosion? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.7).	\boxtimes		
18	Is concentrated runoff flowing down cut or fill slopes contained in an adequate permanent or temporary structure? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.8).	\boxtimes		
19	Is adequate drainage or other protection provided for water seeps? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.9).		\boxtimes	
20	Do all operational storm sewer inlets have adequate inlet protection? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.10).			
21	Are stormwater conveyance channels adequately stabilized with channel lining and/or outlet protection? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.11).	\boxtimes		
22	Is in-stream construction conducted using measures to minimize channel damage? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.12).		\boxtimes	
23	Are temporary stream crossings of non-erodible material installed where applicable? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.13).	\boxtimes		
24	Is necessary re-stabilization of in-stream construction complete? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.15).		\boxtimes	
25	Are utility trench operations conducted and stabilized in accordance with MS-16? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.16).	\boxtimes		
26	Are soil and mud kept off paved or public roads to minimize the transport of sediment? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.17).	\boxtimes		
27	Have all temporary control structures that are no longer needed been removed and disturbed soil resulting from their removal permanently stabilized? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.18).		\boxtimes	



28	Are properties and waterways downstream from development adequately protected from erosion, sediment and damage in accordance with the standards and criteria specified by 9VAC25-840.19(a-n)? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.19).	\boxtimes			
29	Are all E&S control measures and systems being inspected, maintained and repaired as necessary to ensure functionality? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-60.A).	\boxtimes			
30	Are permanent control measures included in the SWPPP in place? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-54.C).	\boxtimes			
	POLLUTION PREVENTION PLAN IMPLEMENTATION	Yes	No	N/A	Reviewed during re-inspection? ⊠Yes □No Location / Description
31	Are chemicals, fertilizers, pesticides and other potential pollutants being properly stored (e.g., under cover or within secondary containment) and handled? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).		\boxtimes		Properly cover fertilizer stored in LY 049 per SWPPP. Clean up loose material and properly store/dispose of.
32	Are construction products, materials, and wastes being properly stored, handled, and disposed of? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).	\boxtimes			
33	Is trash and debris being controlled and properly disposed of? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25- 870-54.D).	\boxtimes			
34	Are measures in place to prevent discharge of spills or leaks from fueling, operation or storage of vehicles, motors and other mechanical equipment? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).	\boxtimes			
35	Have spills, leaks, or stains (e.g., from hydraulic hoses, vehicle/equipment maintenance and fueling operations, etc.) been cleaned up in accordance with the pollution prevention plan? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).				
36	Are chemicals, soaps, solvents, and wash water from construction materials or vehicle washing (e.g., form release oils and curing compounds from hand tools) prevented from leaving the site or properly treated prior to discharge? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).	\boxtimes			
37	Is concrete wash-out water being directed into a properly installed and maintained leak-proof container or leak-proof settling basin? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).			\boxtimes	
38	Are all unauthorized non-stormwater discharges prevented from leaving the site, including untreated hydrostatic testing water? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, pp. 1, 13) (9VAC25-	\boxtimes			

PIPELINE INSPECTION REPORT REQUEST FOR CORRECTIVE ACTION

Project Name: Mountain Valley Pipeline Date: Tuesday, December 17, 2019

Location or Checklist #	Regulatory Citation/Legal requirement ¹	Observation/Recommended Corrective Action
31	(Va. Code §62.1- 44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25- 870-54.D)	Observation: Stored fertilizer bags damaged in Laydown Yard 049. Recommended Corrective Action: Properly store fertilizer. Clean up loose material.

Comments:	Inspected the	following	resources:	W-008.
-----------	---------------	-----------	------------	--------

- Laydown Yard 049: Properly cover fertilizer per SWPPP.

Recommended Corrective Action Deadline: Within 24-hr notification

Targeted Re-Inspection Date: ____TBD____

The recommended corrective action deadline date applies to all conditions noted on this report unless otherwise noted. If listed condition(s) currently constitute non-compliance and/or corrective actions are not completed by the deadline, other enforcement actions may be issued to the entity responsible for ensuring compliance on the above project.

Date: <u>12/17/2019</u>

¹ Refers to applicable regulation found in the most recent publication of the State Water Control Law (Va. Code § 62.1-44.2 et seq.), Virginia Erosion and Sediment Control Regulations (9VAC25-840), the Virginia Stormwater Management Program (VSMP) Regulations (9VAC25-870), or the General Permit for Discharges of Stormwater from Construction Activities (9VAC25-880).

PIPELINE INSPECTION PHOTO LOG

Project Name: Mountain Valley Pipeline Date: Tuesday, December 17, 2019

Fig. 1: **Pipe Yard 006** – Fueling station controls properly in place and functioning.



Fig. 2: **S-NN16** – Roanoke River crossing. No disturbance.



Fig. 3: **STA 12437+50** – Controls in place and functioning properly. Area stabilized.



Fig. 4: Laydown Yard 049 – Damaged fertilizer bags. Properly store per SWPPP.

