

## **COMPREHENSIVE PIPELINE INSPECTION REPORT**

Pro	ect Name:	Mountain Valley Pipeline	Inspector:				Marshall Willis
Inspection Date:		Thursday, June 13, 2019					
	ead I: nklin County	STA 13826+95 - 13892+45 MVP-FR-302	Weather (W	Vet/D	)ry/F	Rain	): Wet
STAG	SE OF CONSTRUCTI	ON: (Check all that apply)					
	Clearing	Rough Grading	atior	1		Pipe Assembly, Testing & Installation	
	Backfilling and Grade	Restoration Final Grading	n			Other: <u>Dormant</u>	
	SWPPP AMEND	MENTS, MODIFICATIONS AND UPD	Yes	No	N/A	Reviewed during re-inspection? ⊠Yes □No  Location / Description	
1	construction, operat	g amended whenever there is a change in ion, or maintenance that has a significant ints to surface waters? (Va. Code §62.1-4 Specifications for VA, pp. 5, 6).	$\boxtimes$				
2	operator's qualified existing control mea	en amended if inspections or investigatio personnel or by state or federal officials f isures are ineffective in minimizing polluta ode §62.1-44.15:31) (MVP Standards & A, pp. 5, 6).	$\boxtimes$				
3	implementation hav grading activities oc cease on a portion of	dates to the SWPPP when any modificat e occurred, including a record of dates who cur, construction activities temporarily or of the site or stabilization measures are in 1) (MVP Standards & Specifications for \	hen major permanently nitiated? (Va.	$\boxtimes$			
4		ion in the SWPPP of replaced or modified 15:31) (MVP Standards & Specifications		$\boxtimes$			
5		en updated to indicate areas that have re Code §62.1-44.15:31) (MVP Standards & A, p. 5).		$\boxtimes$			
	INSPECT	IONS AND CORRECTIVE ACTIONS		Yes	No	N/A	Reviewed during re-inspection? ⊠Yes □No <i>Location / Description</i>
6	frequency, including TMDL(s), and except	quired by the SWPPP been conducted a a modified frequency for impaired water otional waters when applicable? (Va. Condards & Specifications for VA, pp. 4, 5,	(s), approved de §62.1-	$\boxtimes$			
7		rts completed and appropriately signed? VP Standards & Specifications for VA, pp					
8	approved Annual St	ns taken consistent with the requirements andards and Specifications? (Va. Code andards & Specifications for VA, pp. 3, 5).		$\boxtimes$		From 5/16/2019 through 6/10/2019, Punch-List shows total of 11 items requiring corrective action with unapproved extensions in exceedance of 24-hour resolution timeline.	
	ESC AN	ND SWM PLAN IMPLEMENTATION	Yes	No	N/A	Reviewed during re-inspection? ⊠Yes □No  Location / Description	
9	accordance with the stormwater manage	uencing of the project being implemented approved erosion and sediment control ment plans? (Va. Code §62. 1-44.15:31) cations for VA, p. 1) (9VAC25-870-54.B a	plan and ) (MVP	$\boxtimes$			



10	Is topsoil segregation being carried out in accordance with the SWPPP? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, pp. 10, 11).	$\boxtimes$		
11	Have all denuded areas requiring temporary or permanent stabilization been stabilized within 7 days, and have stabilization requirements for impaired waters, approved TMDL(s), pollutants of concern and exceptional waters, when applicable, been met? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.B) (9VAC 25-840-40.1).	$\boxtimes$		
12	Are soil stockpiles adequately stabilized with seeding and/or protected with sediment trapping measures? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.2).	$\boxtimes$		
13	Has a permanent vegetative cover has been established that is uniform, mature enough to survive and will inhibit erosion? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, pp. 1, 15, 16) (9VAC 25-840-40.3).			
14	Have sediment trapping facilities been constructed as the first step in land disturbance activities? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.4).	$\boxtimes$		
15	Have earthen structures been stabilized immediately after installation? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.5).	$\boxtimes$		
16	Are sediment traps and basins installed in accordance with MS-6 and the approved plan? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.6).	$\boxtimes$		
17	Are finished cut and fill slopes adequately stabilized to prevent or correct excessive erosion? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.7).	$\boxtimes$		
18	Is concentrated runoff flowing down cut or fill slopes contained in an adequate permanent or temporary structure? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.8).	$\boxtimes$		
19	Is adequate drainage or other protection provided for water seeps? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.9).		$\boxtimes$	
20	Do all operational storm sewer inlets have adequate inlet protection? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.10).	$\boxtimes$		
21	Are stormwater conveyance channels adequately stabilized with channel lining and/or outlet protection? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.11).	$\boxtimes$		
22	Is in-stream construction conducted using measures to minimize channel damage? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.12).		$\boxtimes$	
23	Are temporary stream crossings of non-erodible material installed where applicable? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.13).	$\boxtimes$		
24	Is necessary restabilization of in-stream construction complete? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.15).		$\boxtimes$	
25	Are utility trench operations conducted and stabilized in accordance with MS-16? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.16).	$\boxtimes$		
26	Are soil and mud kept off paved or public roads to minimize the transport of sediment? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.17).	$\boxtimes$		
27	Have all temporary control structures that are no longer needed been removed and disturbed soil resulting from their removal permanently stabilized? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA. p. 1) (9VAC 25-840-40.18).		$\boxtimes$	



28	Are properties and waterways downstream from development adequately protected from erosion, sediment and damage in accordance with the standards and criteria specified by 9VAC25-840.19(a-n)? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.19).	$\boxtimes$			
29	Are all E&S control measures and systems being inspected, maintained and repaired as necessary to ensure functionality? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-60.A).		$\boxtimes$		P1 in need of repair at STA 13875+73.
30	Are permanent control measures included in the SWPPP in place? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-54.C).				
	POLLUTION PREVENTION PLAN IMPLEMENTATION	Yes	No	N/A	Reviewed during re-inspection? ⊠Yes □No Location / Description
31	Are chemicals, fertilizers, pesticides and other potential pollutants being properly stored (e.g., under cover or within secondary containment) and handled? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).	$\boxtimes$			
32	Are construction products, materials, and wastes being properly stored, handled, and disposed of? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).	$\boxtimes$			
33	Is trash and debris being controlled and properly disposed of? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).	$\boxtimes$			
34	Are measures in place to prevent discharge of spills or leaks from fueling, operation or storage of vehicles, motors and other mechanical equipment? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).	$\boxtimes$			
35	Have spills, leaks, or stains (e.g., from hydraulic hoses, vehicle/equipment maintenance and fueling operations, etc.) been cleaned up in accordance with the pollution prevention plan? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).	$\boxtimes$			
36	Are chemicals, soaps, solvents, and wash water from construction materials or vehicle washing (e.g., form release oils and curing compounds from hand tools) prevented from leaving the site or properly treated prior to discharge? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).	$\boxtimes$			
37	Is concrete wash-out water being directed into a properly installed and maintained leak-proof container or leak-proof settling basin? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).			$\boxtimes$	
38	Are all unauthorized non-stormwater discharges prevented from leaving the site, including untreated hydrostatic testing water? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, pp. 1, 13) (9VAC25-870-54.D).	$\boxtimes$			

## PIPELINE INSPECTION REPORT REQUEST FOR CORRECTIVE ACTION

Project Name: Mountain Valley Pipeline Date: Thursday, June 13, 2019

Location or Checklist #	Regulatory Citation/Legal requirement <sup>1</sup>	Observation/Recommended Corrective Action
8	(Va. Code §62.1- 44.15:31) (MVP Standards & Specifications for VA, pp. 3, 5)	Observation: Punch-List currently lists 11 items that required or require corrective action with unapproved extensions in exceedance of 24-hour resolution timeline between the last SWPPP inspection date of 5/16/2019, through 6/10/2019.  Recommended Corrective Action: Complete corrective action items within the required 24-hour time frame per approved MVP PSS&S.
29	Va. Code §62.1- 44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-60.A)	Observation: P1 SF in need of repair.  Recommended Corrective Action: Repair/maintain ECDs per the approved plan and PSS&S.

Com	ments:	Inspected th	e following	resources:	W-CD5	, S-CD6,	S-C17,	S-C16,	and S-C14	ŧ.
-----	--------	--------------	-------------	------------	-------	----------	--------	--------	-----------	----

Recommended Corrective Action Deadline: Within 24-hr notification.

- STA 13888+00: Repair P1.

rargeted Re	-inspectio	n Date	·	ΙΒυ															
The recommen	ded correcti	ve action	deadline	date appl	ies to a	II condi	ition	s noted	d on thi	s repor	t unless	otherv	vise no	ted. I	f listed	cond	dition(s	s) currently	

The recommended corrective action deadline date applies to all conditions noted on this report unless otherwise noted. If listed condition(s) currently constitute non-compliance and/or corrective actions are not completed by the deadline, other enforcement actions may be issued to the entity responsible for ensuring compliance on the above project.

Inspector Signature: Machael Toldida

Date: <u>06/13/2019</u>

<sup>&</sup>lt;sup>1</sup> Refers to applicable regulation found in the most recent publication of the State Water Control Law (Va. Code § 62.1-44.2 et seq.), Virginia Erosion and Sediment Control Regulations (9VAC25-840), the Virginia Stormwater Management Program (VSMP) Regulations (9VAC25-870), or the General Permit for Discharges of Stormwater from Construction Activities (9VAC25-880).

## PIPELINE INSPECTION PHOTO LOG

**Project Name: Mountain Valley Pipeline** Date: Thursday, June 13, 2019

Fig. 1: MVP-FR-302 - Controls in place. Fig. 2: Wetland W-CD5 - Controls in place. Fig. 3: STA 13888+00 - Repair P1. Fig. 4: Stream S-C14 – Controls in place. 





